

STANDARD MOUNT



STANDARD MOUNT



STANDARD MOUNT STAINLESS STEEL



STANDARD MOUNT WITH CYLINDER HOLE

Replacement for most self-storage doors that allows for two padlock system plus a Lock America 19mm cylinder lock.

Self-Storage Doors with flat or rounded peaks.






VALLEY MOUNT FOR PORVENE/ASTA

PORVENE LATCHES AND COVER PLATES

this raten three variety or me goor.



THE ULTRA LATCH SYSTEM





Ultra Latch with B640A Master Keyed Brass Padlock



Ultra Latch with L740J **Laminated Steel Padlock**



Ultra Latch

The Ultra Latch is the ultimate latch system.
The lock is completely protected and is virtually impossible to cut or pick.
Designed to work only with Lock America's L740J or B640A padlocks. Can be overlocked with an additional lock.

Available with optional striker plates to work with most swing and overhead doors.

B640A• High Security Solid Brass

40mm (1-1/2") Padlock with restricted key with over 3 million usable key combinations.

and master key situations.

registered.



Locks For Use with Ultra Latch

Both these locks are made to fit the Lock America Ultralatch. Locks from other manufacturers may not fit properly and may compromise the latch's security.

L740J 44mm (1-3/4") Laminated steel padlock.

Suitable for medium security system using package padlocks.









Lock Shield with S580R-SS universal latch with B745C **Padlock Attached**





The Lock Shield

- Fits most storage latches
 Prevents padlock from being cut by bolt cutters or saw.
 Protects latches from being cut or sawed.
 3/16" inch steel construction.

- Can be used by owner or tenant.
- Can fit a padlock with up to a 2" thick body.